

WEST

Generate Collection

Print

L2: Entry 17 of 19

File: USPT

Jul 2, 1996

DOCUMENT-IDENTIFIER: US 5532142 A

** See image for Certificate of Correction **

TITLE: Method of isolation and purification of fusion polypeptides

Brief Summary Text (3):

The invention relates generally to the field of molecular biology and to methods of isolating and purifying recombinant proteins. The invention also includes DNA constructs engineered to include DNA encoding a desired polypeptide and a unique plant virus proteinase recognition site. Expression vectors for use in overproducing recombinant plant virus proteinase, particularly tobacco etch virus proteinase, are also part of the invention. The recombinant plant virus proteinase is unaffected by cell protease inhibitors, thereby permitting isolation of significantly improved yields of proteolytically sensitive polypeptides in the presence of added cell protease inhibitors. Methods of overproducing plant viral proteinases are also disclosed.

Drawing Description Text (11):

FIG. 10 shows the purification of histidine-tagged TEV after nickel agarose column purification. Lane 1: molecular weight markers; lane 2: pellet after cell lysis; lane 3: supernatant after cell lysis; lane 4: nickel-agarose column flow-through; lane 5: column flow-through after washing; lanes 6-10: several fractions eluted with 75 mM imidazole, pH 7.0.

Detailed Description Text (33):

Growth conditions and cell lysis for the histidine-tagged TEV proteinases from pGEX-6hispro and pTRC-7hispro were the same as for the GST-tagged proteinase. Absorption to a Nickel NTA-agarose resin was in accordance with the manufacturer's instructions (Quiagen, Chatsworth, Calif.). The His-tagged TEV proteinase was eluted with 75 mM imidazole, pH 7.0. Yields were comparable to the GST-tagged TEV proteinase. SDS-PAGE analysis of a typical purification of histidine-tagged TEV protease is shown in FIG. 10.

WEST

Generate Collection

Print

L2: Entry 3 of 19

File: USPT

May 6, 2003

DOCUMENT-IDENTIFIER: US 6559176 B1

TITLE: Compounds and methods for regulating bacterial growth and pathogenesis

Detailed Description Text (43):

"Antifungal agents" means systemic antifungal agents such as amphotericin B, flucytosine, imidazoles and triazoles, ketoconazole, miconazole, itraconazole, fluconazole and the like. This category also includes griseofulvin. We also mean topical antifungal agents such as clotrimazole, econazole, miconazole, terconazole, butoconazole, ciclopirox olamine, haloprogin, tolinaftate, naftifine, terbinafine as well as nystatin, amphotericin B, undecylenic acid, benzoic acid, salicylic acid, propionic acid, caprylic acid and potassium iodide.

Detailed Description Text (93):

The protein produced by luxS gene expression in a recombinant procaryotic or eucaryotic system may be purified according to methods known in the art. In a preferred embodiment, a commercially available expression/secretion system can be used, whereby the recombinant protein is expressed and thereafter secreted from the host cell, to be easily purified from the surrounding medium. If expression/secretion vectors are not used, an alternative approach involves purifying the recombinant protein by affinity separation, such as by immunological interaction with antibodies that bind specifically to the recombinant protein. Such methods are commonly used by skilled practitioners.

WEST

Generate Collection

Print

L1: Entry 2 of 118

File: USPT

May 27, 2003

DOCUMENT-IDENTIFIER: US 6569631 B1

TITLE: Microplate thermal shift assay for ligand development using
5-(4"dimethylaminophenyl)-2-(4'-phenyl)oxazole derivative fluorescent dyesDetailed Description Text (95):

Techniques for isolating inclusion bodies, purifying recombinant protein from inclusion bodies, and techniques for refolding or renaturing protein are well known to those skilled in the art. For example, see Sambrook, J. et al., Molecular Cloning: a Laboratory Manual, pp. 17.37-17.41, Cold Spring Harbor Laboratory Press (1989); Rudolph, R. et al., FASEB J. 10:49-56 (1995).

WEST**End of Result Set**

Generate Collection

Print

L3: Entry 1 of 1

File: USPT

Dec 29, 1998

DOCUMENT-IDENTIFIER: US 5854081 A

**** See image for Certificate of Correction ****

TITLE: Stable expression of human A.sub.2B adenosine receptors, and assays employing the same

Detailed Description Text (20):

It has been found that recombinant A.sub.1 adenosine receptors engineered to contain hexahistidine at either the amino or carboxyl terminus could be purified to 200- to 300-fold, not enough to effect purification to homogeneity. A second means of purifying recombinant proteins is to engineer in an antibody epitope. Numerous epitopes have been used. The FLAG system utilizes immobilized anti-FLAG antibodies to purify recombinant proteins containing the eight amino acid FLAG epitope (Asp-Try-Lys-Asp-Asp-Asp-Lys). The FLAG peptide can be cut after its C-terminal amino acid by enterokinase, and so removed from the amino terminus of purified proteins. The preparation of vectors designed to express receptors extended on the amino terminus with hexahistidine and the FLAG epitope is described herein. This extension has been added to human A.sub.1, A.sub.2A, A.sub.2b, A.sub.3 adenosine receptors and found not to alter ligand binding properties and to permit the purification of the H/F-A.sub.1 and H/F-A.sub.2A receptors in high yield and to high purity. The degree of purification achieved by the one of both FLAG and hexahistidine markers, has not been achieved using prior art single tags. The receptors have been purified to homogeneity, based on silver staining of SDS polyacrylamine gels.

Detailed Description Text (44):

Elution fractions (2 mL) from an anti-FLAG column were loaded by gravity onto 1 mL Ni-NTA-agarose columns prewashed with buffer CD plus 1 mM imidazole. Columns were washed four times with 1.5 ml of wash buffer and eluted with 5.times.1 mL of the same buffer supplemented with 200 mM imidazole, pH 7.4.

Detailed Description Text (46):

Elution fractions (500 .mu.L) from anti-FLAG columns containing H/F-A1 were added to microfuge tubes containing 250 .mu.L Ni-NTA-agarose prewashed three times with buffer CD plus 1 mM imidazole. After incubating on a rocker for 40 minutes at 4.degree., the tubes were centrifuged at 5000 g for 10 minutes, and the supernatant was removed. The resin was washed twice with 800 .mu.L of buffer CD plus 1 mM imidazole and eluted two times with 200 .mu.L of buffer CD plus 200 mM imidazole.

Detailed Description Text (63):

To test the efficiency of anti-FLAG antibody columns and Ni-NTA columns to retain H/F-modified adenosine receptors, human H/F-A.sub.1 receptor was used as a prototype. Small batches of membranes made from CHO-K.sub.1 cells expressing native and H/F-A.sub.1 receptors were photoaffinity labeled with the A.sub.1 selective antagonist .sup.125 I-Azido-BW-A844U. After digitonin treatment, the soluble fraction was loaded twice on an anti-FLAG affinity column. Following extensive washing, the receptor was eluted in four 1-mL fractions, each containing 200 .mu.g of the fraction and by autoradiography following SDS-PAGE. Digitonin was found to solubilize 50-60 percent of specific [.sup.3 H]CPX binding sites. No photoaffinity labeled native-A.sub.1 receptors adhered to anti-FLAG columns, due presumably to the absence of the FLAG epitope. 80 percent of photoaffinity-labeled H/F-A.sub.1 receptors adhered to the anti-FLAG column. Of the retained receptors, 65 percent were eluted with the FLAG peptide in fractions 1-2 and >90 percent in fractions 1-4. A broad major band was seen after gel electrophoresis of the load and the elution fractions with an apparent molecular mass of 38-43 kDa. After deglycosylation with N-glycosidase F, the labeled protein was quantitatively shifted to a molecular mass of 33-34 kDa. These findings are reasonably

consistent with the deduced molecular mass of the H/F-A.sub.1 receptor, 38.8 Kda, of which 2.26 kDa is derived from the H/F extension. The results also are in agreement with previous photoaffinity labeling experiments. Patel et al, supra. Application of crude digitonin-solubilized receptors to Ni-NTA columns resulted in poor retention (<25 percent) of the photoaffinity-labeled receptors. This is attributed to relatively low affinity of the Ni-NTA for the receptor, resulting in gradual elution of receptors during the loading of large volumes (>4 column volumes) of receptors to the Ni-NTA column. Ni-NTA was much more efficient when used as a second affinity column step with concentrated receptors.

Detailed Description Text (65):


Ni-NTA chromatography of receptors previously purified using anti-FLAG columns was useful to achieve somewhat higher purification. However, when loaded onto Ni-NTA columns, it was necessary to keep load and wash volumes small (<4 column volumes) to prevent leaching of H/F receptor off the Ni-NTA resin. An efficient microfuge tube procedure was developed as follows: Receptors eluted from an anti-FLAG column (1 mL) were mixed with 0.5 mL Ni-NTA resin, washed two times with 0.8 mL wash buffer, and eluted by twice adding 200 .mu.L buffer plus 200 mM imidazole (see Materials and Methods). By this procedure, the recovery of photolabeled H/F-A.sub.1 adenosine receptor was >80 percent.

PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	for purification of recombinant malaria proteins						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	Show	20	Sort	Send to	Text
Items 1-20 of 110						Page 1 of 6 Next


Entrez PubMed

☐ 1: [O'Dea KP, McKean PG, Neil Brown K.](#) [Related Articles, Links](#)

 **Plasmodium chabaudi chabaudi AS: modification of acute infection in CBA/Ca mice as a result of pre-treatment with erythrocyte band 3 in adjuvant.**
Exp Parasitol. 2002 Oct;102(2):66-71.
PMID: 12706741 [PubMed - indexed for MEDLINE]


PubMed
Services

☐ 2: [Knecht W, Petersen GE, Sandrini MP, Sondergaard L, Munch-Petersen B, Piskur J.](#) [Related Articles, Links](#)


 **Mosquito has a single multisubstrate deoxyribonucleoside kinase characterized by unique substrate specificity.**
Nucleic Acids Res. 2003 Mar 15;31(6):1665-72.
PMID: 12626708 [PubMed - indexed for MEDLINE]

Related
Resources


☐ 3: [Killeen GF, Foy BD, Frohn RH, Impoinvil D, Williams A, Beier JC.](#) [Related Articles, Links](#)

 **Enrichment of a single clone from a high diversity library of phage-displayed antibodies by panning with Anopheles gambiae (Diptera: Culicidae) midgut homogenate.**
Bull Entomol Res. 2003 Feb;93(1):31-7.
PMID: 12593680 [PubMed - indexed for MEDLINE]


☐ 4: [Prigge ST, He X, Gerena L, Waters NC, Reynolds KA.](#) [Related Articles, Links](#)















 **The initiating steps of a type II fatty acid synthase in Plasmodium falciparum are catalyzed by pfACP, pfMCAT, and pfKASIII.**
Biochemistry. 2003 Feb 4;42(4):1160-9.
PMID: 12549938 [PubMed - indexed for MEDLINE]








☐ 5: [Danielli A, Kafatos FC, Loukeris TG.](#) [Related Articles, Links](#)

 **Cloning and characterization of four Anopheles gambiae serpin isoforms, differentially induced in the midgut by Plasmodium berghei invasion.**
J Biol Chem. 2003 Feb 7;278(6):4184-93. Epub 2002 Nov 26.
PMID: 12456678 [PubMed - indexed for MEDLINE]

☐ 6: [Li J, Mitamura T, Fox BA, Bzik DJ, Horii T.](#) [Related Articles, Links](#)

 **Differential localization of processed fragments of Plasmodium falciparum serine repeat antigen and further processing of its N-terminal 47 kDa fragment.**
Parasitol Int. 2002 Dec;51(4):343-52.
PMID: 12421632 [PubMed - indexed for MEDLINE]

-  **7:** [Zhang H, Howard EM, Roepe PD.](#) Related Articles, Links
 Analysis of the antimalarial drug resistance protein PfCRT expressed in yeast.
 J Biol Chem. 2002 Dec 20;277(51):49767-75. Epub 2002 Sep 25.
 PMID: 12351620 [PubMed - indexed for MEDLINE]
-  **8:** [Miles AP, Zhang Y, Saul A, Stowers AW.](#) Related Articles, Links
 Large-scale purification and characterization of malaria vaccine candidate antigen Pvs25H for use in clinical trials.
 Protein Expr Purif. 2002 Jun;25(1):87-96.
 PMID: 12071703 [PubMed - indexed for MEDLINE]
-  **9:** [Withers-Martinez C, Saldanha JW, Ely B, Hackett F, O'Connor T, Blackman MJ.](#) Related Articles, Links
 Expression of recombinant Plasmodium falciparum subtilisin-like protease-1 in insect cells. Characterization, comparison with the parasite protease, and homology modeling.
 J Biol Chem. 2002 Aug 16;277(33):29698-709. Epub 2002 Jun 06.
 PMID: 12052828 [PubMed - indexed for MEDLINE]
-  **10:** [Dutta S, Lalitha PV, Ware LA, Barbosa A, Moch JK, Vassell MA, Fileta BB, Kitov S, Kolodny N, Heppner DG, Haynes JD, Lanar DE.](#) Related Articles, Links
 Purification, characterization, and immunogenicity of the refolded ectodomain of the Plasmodium falciparum apical membrane antigen 1 expressed in Escherichia coli.
 Infect Immun. 2002 Jun;70(6):3101-10.
 PMID: 12011004 [PubMed - indexed for MEDLINE]
-  **11:** [Genton B, Betuela I, Felger I, Al-Yaman F, Anders RF, Saul A, Rare L, Baisor M, Lorry K, Brown GV, Pye D, Irving DO, Smith TA, Beck HP, Alpers MP.](#) Related Articles, Links
 A recombinant blood-stage malaria vaccine reduces Plasmodium falciparum density and exerts selective pressure on parasite populations in a phase 1-2b trial in Papua New Guinea.
 J Infect Dis. 2002 Mar 15;185(6):820-7. Epub 2002 Feb 14.
 PMID: 11920300 [PubMed - indexed for MEDLINE]
-  **12:** [Kanzok SM, Rahlfs S, Becker K, Schirmer RH.](#) Related Articles, Links
 Thioredoxin, thioredoxin reductase, and thioredoxin peroxidase of malaria parasite Plasmodium falciparum.
 Methods Enzymol. 2002;347:370-81. No abstract available.
 PMID: 11898428 [PubMed - indexed for MEDLINE]
-  **13:** [Li J, Matsuoka H, Mitamura T, Horii T.](#) Related Articles, Links
 Characterization of proteases involved in the processing of Plasmodium falciparum serine repeat antigen (SERA).
 Mol Biochem Parasitol. 2002 Apr 9;120(2):177-86.
 PMID: 11897123 [PubMed - indexed for MEDLINE]

- ☐ **14:** [Bauer H, Kanzok SM, Schirmer RH.](#) [Related Articles, Links](#)
 Thioredoxin-2 but not thioredoxin-1 is a substrate of thioredoxin peroxidase-1 from *Drosophila melanogaster*: isolation and characterization of a second thioredoxin in *D. Melanogaster* and evidence for distinct biological functions of Trx-1 and Trx-2.
 J Biol Chem. 2002 May 17;277(20):17457-63. Epub 2002 Mar 04.
 PMID: 11877442 [PubMed - indexed for MEDLINE]
- ☐ **15:** [Salotra P, Sreenivas G, Nasim AA, Subba Raju BV, Ramesh V.](#) [Related Articles, Links](#)
 Evaluation of enzyme-linked immunosorbent assay for diagnosis of post-kala-azar dermal leishmaniasis with crude or recombinant k39 antigen.
 Clin Diagn Lab Immunol. 2002 Mar;9(2):370-3.
 PMID: 11874880 [PubMed - indexed for MEDLINE]
- ☐ **16:** [Bonaldo MC, Garratt RC, Caufour PS, Freire MS, Rodrigues MM, Nussenzweig RS, Galler R.](#) [Related Articles, Links](#)
 Surface expression of an immunodominant malaria protein B cell epitope by yellow fever virus.
 J Mol Biol. 2002 Jan 25;315(4):873-85.
 PMID: 11812154 [PubMed - indexed for MEDLINE]
- ☐ **17:** [Brady CP, Shimp RL, Miles AP, Whitmore M, Stowers AW.](#) [Related Articles, Links](#)
 High-level production and purification of P30P2MSP1(19), an important vaccine antigen for malaria, expressed in the methylotropic yeast *Pichia pastoris*.
 Protein Expr Purif. 2001 Dec;23(3):468-75.
 PMID: 11722185 [PubMed - indexed for MEDLINE]
- ☐ **18:** [Kedzierski L, Black CG, Stowers AW, Goschnick MW, Kaslow DC, Coppel RL.](#) [Related Articles, Links](#)
 Comparison of the protective efficacy of yeast-derived and *Escherichia coli*-derived recombinant merozoite surface protein 4/5 against lethal challenge by *Plasmodium yoelii*.
 Vaccine. 2001 Sep 14;19(32):4661-8.
 PMID: 11535314 [PubMed - indexed for MEDLINE]
- ☐ **19:** [Gruner AC, Brahimi K, Letourneur F, Renia L, Eling W, Snounou G, Druilhe P.](#) [Related Articles, Links](#)
 Expression of the erythrocyte-binding antigen 175 in sporozoites and in liver stages of *Plasmodium falciparum*.
 J Infect Dis. 2001 Oct 1;184(7):892-7. Epub 2001 Aug 17.
 PMID: 11528591 [PubMed - indexed for MEDLINE]
- ☐ **20:** [Dutta S, Ware LA, Barbosa A, Ockenhouse CF, Lanar DE.](#) [Related Articles, Links](#)
 Purification, characterization, and immunogenicity of a disulfide cross-linked *Plasmodium vivax* vaccine candidate antigen, merozoite surface protein 1, expressed in *Escherichia coli*.
 Infect Immun. 2001 Sep;69(9):5464-70.
 PMID: 11500418 [PubMed - indexed for MEDLINE]

Display	Summary	Show: 20	Sort	Send to	Text
Items 1-20 of 110				Page 1	of 6 Next

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Jul 17 2003 11:42:11


0

PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	for purification of recombinant malaria proteins						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	Show	20	Sort	Send to	Text
Items 21-40 of 110				Previous	Page 2	of 6 Next


Entrez PubMed

☐ **21:** [Hodder AN, Crewther PE, Anders RF.](#) Related Articles, Links


 **Specificity of the protective antibody response to apical membrane antigen 1.**
Infect Immun. 2001 May;69(5):3286-94.
 PMID: 11292751 [PubMed - indexed for MEDLINE]

☐ **22:** [Singh S, Pandey K, Chattopadhyay R, Yazdani SS, Lynn A, Bharadwaj A, Ranjan A, Chitnis C.](#) Related Articles, Links

PubMed Services


 **Biochemical, biophysical, and functional characterization of bacterially expressed and refolded receptor binding domain of Plasmodium vivax duffy-binding protein.**
J Biol Chem. 2001 May 18;276(20):17111-6. Epub 2001 Mar 13.
 PMID: 11279211 [PubMed - indexed for MEDLINE]

☐ **23:** [Yoshida S, Ioka D, Matsuoka H, Endo H, Ishii A.](#) Related Articles, Links


 **Bacteria expressing single-chain immunotoxin inhibit malaria parasite development in mosquitoes.**
Mol Biochem Parasitol. 2001 Mar;113(1):89-96.
 PMID: 11254957 [PubMed - indexed for MEDLINE]

Related Resources


☐ **24:** [Ockenhouse CF, Barbosa A, Blackall DP, Murphy CI, Kashala O, Dutta S, Lanar DE, Daugherty JR.](#) Related Articles, Links

 **Sialic acid-dependent binding of baculovirus-expressed recombinant antigens from Plasmodium falciparum EBA-175 to Glycophorin A.**
Mol Biochem Parasitol. 2001 Mar;113(1):9-21.
 PMID: 11254950 [PubMed - indexed for MEDLINE]


☐ **25:** [Ho CK, Shuman S.](#) Related Articles, Links

















 **A yeast-like mRNA capping apparatus in Plasmodium falciparum.**
Proc Natl Acad Sci U S A. 2001 Mar 13;98(6):3050-5. Epub 2001 Mar 06.
 PMID: 11248030 [PubMed - indexed for MEDLINE]






☐ **26:** [Krnajski Z, Gilberger TW, Walter RD, Muller S.](#) Related Articles, Links

 **The malaria parasite Plasmodium falciparum possesses a functional thioredoxin system.**
Mol Biochem Parasitol. 2001 Feb;112(2):219-28.
 PMID: 11223129 [PubMed - indexed for MEDLINE]

☐ **27:** [Stowers AW, Zhang Y, Shimp RL, Kaslow DC.](#) Related Articles, Links

 **Structural conformers produced during malaria vaccine production in yeast.**
Yeast. 2001 Jan 30;18(2):137-50.
 PMID: 11169756 [PubMed - indexed for MEDLINE]

-  **28:** [van Bemmelen MX, Beghdadi-Rais C, Desponds C, Vargas E, Herrera S, Reymond CD, Fasel N.](#) [Related Articles, Links](#)
-  Expression and one-step purification of Plasmodium proteins in dictyostelium. Mol Biochem Parasitol. 2000 Dec;111(2):377-90. PMID: 11163444 [PubMed - indexed for MEDLINE]
-  **29:** [Nakanishi M, Iwata A, Yatome C, Kitade Y.](#) [Related Articles, Links](#)
-  Purification and properties of recombinant Plasmodium falciparum S-adenosyl-L-homocysteine hydrolase. J Biochem (Tokyo). 2001 Jan;129(1):101-5. PMID: 11134963 [PubMed - indexed for MEDLINE]
-  **30:** [Sujay Subbayya IN, Balaram H.](#) [Related Articles, Links](#)
-  Evidence for multiple active states of Plasmodium falciparum hypoxanthine-guanine-xanthine phosphoribosyltransferase. Biochem Biophys Res Commun. 2000 Dec 20;279(2):433-7. PMID: 11118304 [PubMed - indexed for MEDLINE]
-  **31:** [Blisnick T, Morales Betoulle ME, Barale JC, Uzureau P, Berry L, Desroses S, Fujioka H, Mattei D, Braun Breton C.](#) [Related Articles, Links](#)
-  Pfsbp1, a Maurer's cleft Plasmodium falciparum protein, is associated with the erythrocyte skeleton. Mol Biochem Parasitol. 2000 Nov;111(1):107-21. PMID: 11087921 [PubMed - indexed for MEDLINE]
-  **32:** [Hisaeda H, Stowers AW, Tsuboi T, Collins WE, Sattabongkot JS, Suwanabun N, Torii M, Kaslow DC.](#) [Related Articles, Links](#)
-  Antibodies to malaria vaccine candidates Pvs25 and Pvs28 completely block the ability of Plasmodium vivax to infect mosquitoes. Infect Immun. 2000 Dec;68(12):6618-23. PMID: 11083773 [PubMed - indexed for MEDLINE]
-  **33:** [Chatterjee S, Singh S, Sohoni R, Singh NJ, Vaidya A, Long C, Sharma S.](#) [Related Articles, Links](#)
-  Antibodies against ribosomal phosphoprotein P0 of Plasmodium falciparum protect mice against challenge with Plasmodium yoelii. Infect Immun. 2000 Jul;68(7):4312-8. PMID: 10858250 [PubMed - indexed for MEDLINE]
-  **34:** [Gunaratne RS, Sajid M, Ling IT, Tripathi R, Pachebat JA, Holder AA.](#) [Related Articles, Links](#)
-  Characterization of N-myristoyltransferase from Plasmodium falciparum. Biochem J. 2000 Jun 1;348 Pt 2:459-63. PMID: 10816442 [PubMed - indexed for MEDLINE]
-  **35:** [Shi YP, Das P, Holloway B, Udhayakumar V, Tongren JE, Candal F, Biswas S, Ahmad R, Hasnain SE, Lal AA.](#) [Related Articles, Links](#)
-  Development, expression, and murine testing of a multistage Plasmodium falciparum malaria vaccine candidate. Vaccine. 2000 Jun 15;18(25):2902-14. PMID: 10812234 [PubMed - indexed for MEDLINE]

- ☐ **36:** [Andersson C, Sandberg L, Wernerus H, Johansson M, Lovgren-Bengtsson K, Stahl S.](#) [Related Articles, Links](#)
-  Improved systems for hydrophobic tagging of recombinant immunogens for efficient iscom incorporation.
J Immunol Methods. 2000 Apr 21;238(1-2):181-93.
PMID: 10758248 [PubMed - indexed for MEDLINE]
- ☐ **37:** [Vinetz JM, Valenzuela JG, Specht CA, Aravind L, Langer RC, Ribeiro JM, Kaslow DC.](#) [Related Articles, Links](#)
-  Chitinases of the avian malaria parasite *Plasmodium gallinaceum*, a class of enzymes necessary for parasite invasion of the mosquito midgut.
J Biol Chem. 2000 Apr 7;275(14):10331-41.
PMID: 10744721 [PubMed - indexed for MEDLINE]
- ☐ **38:** [Noronha S, Kaufman J, Shiloach J.](#) [Related Articles, Links](#)
-  Use of streamline chelating for capture and purification of poly-His-tagged recombinant proteins.
Bioseparation. 1999;8(1-5):145-51.
PMID: 10734566 [PubMed - indexed for MEDLINE]
- ☐ **39:** [Muller S, Da'dara A, Luersen K, Wrenger C, Das Gupta R, Madhubala R, Walter RD.](#) [Related Articles, Links](#)
-  In the human malaria parasite *Plasmodium falciparum*, polyamines are synthesized by a bifunctional ornithine decarboxylase, S-adenosylmethionine decarboxylase.
J Biol Chem. 2000 Mar 17;275(11):8097-102.
PMID: 10713131 [PubMed - indexed for MEDLINE]
- ☐ **40:** [Milek RL, Stunnenberg HG, Konings RN.](#) [Related Articles, Links](#)
-  Assembly and expression of a synthetic gene encoding the antigen Pfs48/45 of the human malaria parasite *Plasmodium falciparum* in yeast.
Vaccine. 2000 Jan 31;18(14):1402-11.
PMID: 10618538 [PubMed - indexed for MEDLINE]

Display	Summary	Show:	20	Sort	Send to	Text
Items 21-40 of 110			Previous Page 2 of 6 Next			

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Jul 17 2003 11:42:11

PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	for purification of recombinant malaria proteins						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	Show	20	Sort	Send to	Text
Items 41-60 of 110				Previous	Page 3	of 6 Next

Entrez PubMed

- ☐ 41: [Zhang K, Fujioka H, Lobo CA, Kitayaporn D, Aikawa M, Kumar N](#) Related Articles, Links



Cloning and characterization of a new asparagine-rich protein in *Plasmodium falciparum*.

Parasitol Res. 1999 Dec;85(12):956-63.

PMID: 10599917 [PubMed - indexed for MEDLINE]

PubMed Services

- ☐ 42: [Benjamin PA, Ling IT, Clotey G, Valero LM, Ogun SA, Fleck SL, Walliker D, Morgan WD, Birdsall B, Feeney J, Holder AA](#) Related Articles, Links



Antigenic and sequence diversity at the C-terminus of the merozoite surface protein-1 from rodent malaria isolates, and the binding of protective monoclonal antibodies.

Mol Biochem Parasitol. 1999 Nov 30;104(2):147-56.

PMID: 10593171 [PubMed - indexed for MEDLINE]

- ☐ 43: [Collins WE, Kaslow DC, Sullivan JS, Morris CL, Galland GG, Yang C, Saekhou AM, Xiao L, Lal AA](#) Related Articles, Links



Testing the efficacy of a recombinant merozoite surface protein (MSP-1(19) of *Plasmodium vivax* in *Saimiri boliviensis* monkeys.

Am J Trop Med Hyg. 1999 Mar;60(3):350-6.

PMID: 10466960 [PubMed - indexed for MEDLINE]

Related Resources

- ☐ 44: [Eda S, Lawler J, Sherman IW](#) Related Articles, Links



Plasmodium falciparum-infected erythrocyte adhesion to the type 3 repeat domain of thrombospondin-1 is mediated by a modified band 3 protein.

Mol Biochem Parasitol. 1999 May 25;100(2):195-205.

PMID: 10391381 [PubMed - indexed for MEDLINE]

- ☐ 45: [Lalitha PV, Malhotra P, Chattopadhyay R, Chauhan VS](#) Related Articles, Links



Plasmodium falciparum: variations in the C-terminal cysteine-rich region of the merozoite surface protein-1 in field samples among Indian isolates.

Exp Parasitol. 1999 May;92(1):12-8.

PMID: 10329360 [PubMed - indexed for MEDLINE]

















- ☐ 46: [Blanco AR, Paez A, Gerold P, Dearsly AL, Margos G, Schwarz RT, Barker G, Rodriguez MC, Sinden RE](#) Related Articles, Links



The biosynthesis and post-translational modification of Pbs21 an ookinete-surface protein of *Plasmodium berghei*.

Mol Biochem Parasitol. 1999 Jan 25;98(2):163-73.

PMID: 10080386 [PubMed - indexed for MEDLINE]

-  **47:** [Keough DT, Ng AL, Winzor DJ, Emmerson BT, de Jersey J.](#) [Related Articles, Links](#)
-  Purification and characterization of *Plasmodium falciparum* hypoxanthine-guanine-xanthine phosphoribosyltransferase and comparison with the human enzyme.
Mol Biochem Parasitol. 1999 Jan 5;98(1):29-41.
PMID: 10029307 [PubMed - indexed for MEDLINE]
-  **48:** [Andersson C, Sandberg L, Murby M, Sjolander A, Lovgren-Bengtsson K, Stahl S.](#) [Related Articles, Links](#)
-  General expression vectors for production of hydrophobically tagged immunogens for direct iscom incorporation.
J Immunol Methods. 1999 Jan 1;222(1-2):171-82.
PMID: 10022383 [PubMed - indexed for MEDLINE]
-  **49:** [Soares IS, Oliveira SG, Souza JM, Rodrigues MM.](#) [Related Articles, Links](#)
-  Antibody response to the N and C-terminal regions of the *Plasmodium vivax* Merozoite Surface Protein 1 in individuals living in an area of exclusive transmission of *P. vivax* malaria in the north of Brazil.
Acta Trop. 1999 Jan 15;72(1):13-24.
PMID: 9924957 [PubMed - indexed for MEDLINE]
-  **50:** [Burns JM Jr, Adeeku EK, Dunn PD.](#) [Related Articles, Links](#)
-  Protective immunization with a novel membrane protein of *Plasmodium yoelii*-infected erythrocytes.
Infect Immun. 1999 Feb;67(2):675-80.
PMID: 9916076 [PubMed - indexed for MEDLINE]
-  **51:** [Werner EB, Taylor WR, Holder AA.](#) [Related Articles, Links](#)
-  A *Plasmodium chabaudi* protein contains a repetitive region with a predicted spectrin-like structure.
Mol Biochem Parasitol. 1998 Aug 1;94(2):185-96.
PMID: 9747969 [PubMed - indexed for MEDLINE]
-  **52:** [Berriman M, Fairlamb AH.](#) [Related Articles, Links](#)
-  Detailed characterization of a cyclophilin from the human malaria parasite *Plasmodium falciparum*.
Biochem J. 1998 Sep 1;334 (Pt 2):437-45.
PMID: 9716503 [PubMed - indexed for MEDLINE]
-  **53:** [Cavanagh DR, Elhassan IM, Roper C, Robinson VJ, Giha H, Holder AA, Hviid L, Theander TG, Arnot DE, McBride JS.](#) [Related Articles, Links](#)
-  A longitudinal study of type-specific antibody responses to *Plasmodium falciparum* merozoite surface protein-1 in an area of unstable malaria in Sudan.
J Immunol. 1998 Jul 1;161(1):347-59.
PMID: 9647243 [PubMed - indexed for MEDLINE]
-  **54:** [Stowers AW, Spring KJ, Saul A.](#) [Related Articles, Links](#)
-  Preparative scale purification of recombinant proteins to clinical grade by isotachopheresis.
Biotechnology (N Y). 1995 Dec;13(13):1498-1503.
PMID: 9636309 [PubMed - indexed for MEDLINE]

☐ **55:** [Turpen TH, Reinl SJ, Charoenvit Y, Hoffman SL, Fallarme V, Grill LK.](#) [Related Articles](#), [Links](#)



Malarial epitopes expressed on the surface of recombinant tobacco mosaic virus.

Biotechnology (N Y). 1995 Jan;13(1):53-7.

PMID: 9634749 [PubMed - indexed for MEDLINE]

☐ **56:** [Schneider J, Gilbert SC, Blanchard TJ, Hanke T, Robson KJ, Hannan CM, Becker M, Sinden R, Smith GL, Hill AV.](#) [Related Articles](#), [Links](#)



Enhanced immunogenicity for CD8+ T cell induction and complete protective efficacy of malaria DNA vaccination by boosting with modified vaccinia virus Ankara.

Nat Med. 1998 Apr;4(4):397-402.

PMID: 9546783 [PubMed - indexed for MEDLINE]

☐ **57:** [Farber PM, Arscott LD, Williams CH Jr, Becker K, Schirmer RH.](#) [Related Articles](#), [Links](#)



Recombinant Plasmodium falciparum glutathione reductase is inhibited by the antimalarial dye methylene blue.

FEBS Lett. 1998 Feb 6;422(3):311-4.

PMID: 9498806 [PubMed - indexed for MEDLINE]

☐ **58:** [Theisen M, Soe S, Oeuvray C, Thomas AW, Vuust J, Danielsen S, Jepsen S, Druilhe P.](#) [Related Articles](#), [Links](#)



The glutamate-rich protein (GLURP) of Plasmodium falciparum is a target for antibody-dependent monocyte-mediated inhibition of parasite growth in vitro.

Infect Immun. 1998 Jan;66(1):11-7.

PMID: 9423833 [PubMed - indexed for MEDLINE]

☐ **59:** [Fu Y, Shearing LN, Haynes S, Crewther P, Tilley L, Anders RF, Foley M.](#) [Related Articles](#), [Links](#)



Isolation from phage display libraries of single chain variable fragment antibodies that recognize conformational epitopes in the malaria vaccine candidate, apical membrane antigen-1.

J Biol Chem. 1997 Oct 10;272(41):25678-84.

PMID: 9325291 [PubMed - indexed for MEDLINE]

☐ **60:** [Barik S, Taylor RE, Chakrabarti D.](#) [Related Articles](#), [Links](#)



Identification, cloning, and mutational analysis of the casein kinase 1 cDNA of the malaria parasite, Plasmodium falciparum. Stage-specific expression of the gene.

J Biol Chem. 1997 Oct 17;272(42):26132-8.

PMID: 9334178 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Show: 20	▼	Sort	▼	Send to	Text	▼
Items 41-60 of 110					Previous Page 3 of 6 Next				

[Write to the Help Desk](#)
[NCBI](#) | [NLM](#) | [NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act](#) | [Disclaimer](#)

Jul 17 2003 11:42:11

PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	for purification of recombinant malaria proteins						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	Show	20	Sort	Send to	Text
Items 61-80 of 110				Previous	Page 4	of 6 Next

Entrez PubMed

☐ **61:** [Huang S, Rhoads SL, DiNubile MJ.](#) [Related Articles, Links](#)



Temporal association between serum gelsolin levels and clinical events in a patient with severe falciparum malaria.

Clin Infect Dis. 1997 May;24(5):951-4.

PMID: 9142799 [PubMed - indexed for MEDLINE]

PubMed Services

☐ **62:** [Cavanagh DR, McBride JS.](#) [Related Articles, Links](#)



Antigenicity of recombinant proteins derived from Plasmodium falciparum merozoite surface protein 1.

Mol Biochem Parasitol. 1997 Apr;85(2):197-211.

PMID: 9106193 [PubMed - indexed for MEDLINE]

☐ **63:** [Moon RP, Tyas L, Certa U, Rupp K, Bur D, Jacquet C, Matile H, Loetscher H, Grueninger-Leitch F, Kay J, Dunn BM, Berry C, Ridley RG.](#) [Related Articles, Links](#)



Expression and characterisation of plasmepsin I from Plasmodium falciparum.

Eur J Biochem. 1997 Mar 1;244(2):552-60.

PMID: 9119023 [PubMed - indexed for MEDLINE]

Related Resources

☐ **64:** [Fox BA, Xing-Li P, Suzue K, Horii T, Bzik DJ.](#) [Related Articles, Links](#)



Plasmodium falciparum: an epitope within a highly conserved region of the 47-kDa amino-terminal domain of the serine repeat antigen is a target of parasite-inhibitory antibodies.

Exp Parasitol. 1997 Feb;85(2):121-34.

PMID: 9030663 [PubMed - indexed for MEDLINE]

☐ **65:** [Prapunwattana P, Sirawaraporn W, Yuthavong Y, Santi DV.](#) [Related Articles, Links](#)



Chemical synthesis of the Plasmodium falciparum dihydrofolate reductase-thymidylate synthase gene.

Mol Biochem Parasitol. 1996 Dec 2;83(1):93-106.

PMID: 9010845 [PubMed - indexed for MEDLINE]

















☐ **66:** [Stafford WH, Stockley RW, Ludbrook SB, Holder AA.](#) [Related Articles, Links](#)









Isolation, expression and characterization of the gene for an ADP-ribosylation factor from the human malaria parasite, Plasmodium falciparum.

Eur J Biochem. 1996 Nov 15;242(1):104-13.

PMID: 8954160 [PubMed - indexed for MEDLINE]

-  **67:** Nosten F, Luxemburger C, Kyle DE, Ballou WR, Wittes J, Wah E, Chongsuphajaisiddhi T, Gordon DM, White NJ, Sadoff JC, Heppner DG. [Related Articles](#), [Links](#)
-  Randomised double-blind placebo-controlled trial of SPf66 malaria vaccine in children in northwestern Thailand. Shoklo SPf66 Malaria Vaccine Trial Group.
Lancet. 1996 Sep 14;348(9029):701-7.
PMID: 8806288 [PubMed - indexed for MEDLINE]
-  **68:** Wang MY, Kaslow DC, Shiloach J. [Related Articles](#), [Links](#)
-  Production of a malaria transmission-blocking protein from recombinant yeast.
Ann N Y Acad Sci. 1996 May 15;782:123-32. No abstract available.
PMID: 8659889 [PubMed - indexed for MEDLINE]
-  **69:** Hui GS, Nikaido C, Hashiro C, Kaslow DC, Collins WE. [Related Articles](#), [Links](#)
-  Dominance of conserved B-cell epitopes of the Plasmodium falciparum merozoite surface protein, MSP1, in blood-stage infections of naive Aotus monkeys.
Infect Immun. 1996 May;64(5):1502-9.
PMID: 8613353 [PubMed - indexed for MEDLINE]
-  **70:** Masake RA, ole-Moi Yoi OK, Urakawa T, Hirumi H, Majiwa PA, Wells CW, Minja SH, Makau JM, Nantulya VM. [Related Articles](#), [Links](#)
-  Immunological characterization and expression in Escherichia coli and baculovirus systems of a Trypanosoma vivax antigen detected in the blood of infected animals.
Exp Parasitol. 1995 Dec;81(4):536-45.
PMID: 8542995 [PubMed - indexed for MEDLINE]
-  **71:** Hirtzlin J, Farber PM, Franklin RM, Bell A. [Related Articles](#), [Links](#)
-  Molecular and biochemical characterization of a Plasmodium falciparum cyclophilin containing a cleavable signal sequence.
Eur J Biochem. 1995 Sep 15;232(3):765-72.
PMID: 7588714 [PubMed - indexed for MEDLINE]
-  **72:** Ho M, Sexton MM, Tongtawe P, Looareesuwan S, Suntharasamai P, Webster HK. [Related Articles](#), [Links](#)
-  Interleukin-10 inhibits tumor necrosis factor production but not antigen-specific lymphoproliferation in acute Plasmodium falciparum malaria.
J Infect Dis. 1995 Sep;172(3):838-44.
PMID: 7658079 [PubMed - indexed for MEDLINE]
-  **73:** Ahlborg N, Iqbal J, Hansson M, Uhlen M, Mattei D, Perlmann P, Stahl S, Berzins K. [Related Articles](#), [Links](#)
-  Immunogens containing sequences from antigen Pf332 induce Plasmodium falciparum-reactive antibodies which inhibit parasite growth but not cytoadherence.
Parasite Immunol. 1995 Jul;17(7):341-52.
PMID: 8552406 [PubMed - indexed for MEDLINE]
-  **74:** Milich DR, Peterson DL, Zheng J, Hughes JL, Wirtz R, Schodel F. [Related Articles](#), [Links](#)
-  The hepatitis nucleocapsid as a vaccine carrier moiety.
Ann N Y Acad Sci. 1995 May 31;754:187-201.
PMID: 7542855 [PubMed - indexed for MEDLINE]

- ☐ **75:** [Sedegah M, Hedstrom R, Hobart P, Hoffman SL.](#) [Related Articles, Links](#)
-  **Protection against malaria by immunization with plasmid DNA encoding circumsporozoite protein.**
 Proc Natl Acad Sci U S A. 1994 Oct 11;91(21):9866-70.
 PMID: 7937907 [PubMed - indexed for MEDLINE]
- ☐ **76:** [Chappel JA, Egan AF, Riley EM, Druilhe P, Holder AA.](#) [Related Articles, Links](#)
-  **Naturally acquired human antibodies which recognize the first epidermal growth factor-like module in the Plasmodium falciparum merozoite surface protein 1 do not inhibit parasite growth in vitro.**
 Infect Immun. 1994 Oct;62(10):4488-94.
 PMID: 7927713 [PubMed - indexed for MEDLINE]
- ☐ **77:** [Kaslow DC, Shiloach J.](#) [Related Articles, Links](#)
-  **Production, purification and immunogenicity of a malaria transmission-blocking vaccine candidate: TBV25H expressed in yeast and purified using nickel-NTA agarose.**
 Biotechnology (N Y). 1994 May;12(5):494-9.
 PMID: 7764708 [PubMed - indexed for MEDLINE]
- ☐ **78:** [Pan W, Yang S, Deng H, Lu D.](#) [Related Articles, Links](#)
-  **Expression and immunogenicity of tripeptide repeat region on P190 of Plasmodium falciparum.**
 Chin J Biotechnol. 1994;10(4):249-56.
 PMID: 7780021 [PubMed - indexed for MEDLINE]
- ☐ **79:** [Chappel JA, Holder AA.](#) [Related Articles, Links](#)
-  **Monoclonal antibodies that inhibit Plasmodium falciparum invasion in vitro recognise the first growth factor-like domain of merozoite surface protein-1.**
 Mol Biochem Parasitol. 1993 Aug;60(2):303-11.
 PMID: 7694147 [PubMed - indexed for MEDLINE]
- ☐ **80:** [Brahimi K, Perignon JL, Bossus M, Gras H, Tartar A, Druilhe P.](#) [Related Articles, Links](#)
-  **Fast immunopurification of small amounts of specific antibodies on peptides bound to ELISA plates.**
 J Immunol Methods. 1993 Jun 4;162(1):69-75.
 PMID: 8509653 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Show	20	▼	Sort	▼	Send to	Text	▼
Items 61-80 of 110						Previous Page 4 of 6 Next				

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Jul 17 2003 11:42:11

PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	for purification of recombinant malaria proteins						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	Show	20	Sort	Send to	Text
Items 81-100 of 110				Previous	Page 5	of 6 Next

Entrez PubMed

☐ **81:** [Li S, Rodrigues M, Rodriguez D, Rodriguez JR, Esteban M, Palese P, Nussenzweig RS, Zavala F.](#) [Related Articles, Links](#)



Priming with recombinant influenza virus followed by administration of recombinant vaccinia virus induces CD8+ T-cell-mediated protective immunity against malaria.

Proc Natl Acad Sci U S A. 1993 Jun 1;90(11):5214-8.

PMID: 7685119 [PubMed - indexed for MEDLINE]

PubMed Services

☐ **82:** [Blackman MJ, Holder AA.](#) [Related Articles, Links](#)



Use of a recombinant baculovirus product to measure naturally-acquired human antibodies to disulphide-constrained epitopes on the P. falciparum merozoite surface protein-1 (MSP1).

FEMS Immunol Med Microbiol. 1993 Apr;6(4):307-15.

PMID: 7684635 [PubMed - indexed for MEDLINE]

☐ **83:** [Lew AM, Marshall VM, Kemp DJ.](#) [Related Articles, Links](#)



Affinity selection of polymerase chain reaction products by DNA-binding proteins.

Methods Enzymol. 1993;218:526-34. No abstract available.

PMID: 8510545 [PubMed - indexed for MEDLINE]

Related Resources

☐ **84:** [Nardin EH, Nussenzweig RS.](#) [Related Articles, Links](#)



T cell responses to pre-erythrocytic stages of malaria: role in protection and vaccine development against pre-erythrocytic stages.

Annu Rev Immunol. 1993;11:687-727. Review.

PMID: 8476576 [PubMed - indexed for MEDLINE]

☐ **85:** [Bathurst IC, Gibson HL, Kansopon J, Hahn BK, Green KM, Chang SP, Hui GS, Siddiqui WA, Inselburg J, Millet P, et al.](#) [Related Articles, Links](#)



An experimental vaccine cocktail for Plasmodium falciparum malaria.

Vaccine. 1993;11(4):449-56.

PMID: 8470430 [PubMed - indexed for MEDLINE]

















☐ **86:** [Dziegiel M, Borre MB, Petersen E, Høgh B, Jepsen S, Vuust J, Axelsen N.](#) [Related Articles, Links](#)



Capture ELISA for IgM antibodies against Plasmodium falciparum glutamate rich protein.

J Immunol Methods. 1992 Nov 5;155(2):207-13.

PMID: 1431149 [PubMed - indexed for MEDLINE]

-  **87:** [Barrios C, Lussow AR, Van Embden J, Van der Zee R, Rappuoli R, Costantino P, Louis JA, Lambert PH, Del Giudice G.](#) [Related Articles, Links](#)
-  Mycobacterial heat-shock proteins as carrier molecules. II: The use of the 70-kDa mycobacterial heat-shock protein as carrier for conjugated vaccines can circumvent the need for adjuvants and Bacillus Calmette Guerin priming. *Eur J Immunol.* 1992 Jun;22(6):1365-72. PMID: 1601031 [PubMed - indexed for MEDLINE]
-  **88:** [Gibson HL, Tucker JE, Kaslow DC, Krettli AU, Collins WE, Kiefer MC, Bathurst IC, Barr PJ.](#) [Related Articles, Links](#)
-  Structure and expression of the gene for Pv200, a major blood-stage surface antigen of *Plasmodium vivax*. *Mol Biochem Parasitol.* 1992 Feb;50(2):325-33. PMID: 1371329 [PubMed - indexed for MEDLINE]
-  **89:** [Enders B, Hundt E, Knapp B.](#) [Related Articles, Links](#)
-  Strategies for the development of an antimalarial vaccine. *Vaccine.* 1992;10(13):920-7. PMID: 1471413 [PubMed - indexed for MEDLINE]
-  **90:** [Bruchhaus I, Brattig NW, Tannich E.](#) [Related Articles, Links](#)
-  Recombinant expression, purification and biochemical characterization of a superoxide dismutase from *Entamoeba histolytica*. *Arch Med Res.* 1992;23(2):27-9. PMID: 1340312 [PubMed - indexed for MEDLINE]
-  **91:** [Takacs BJ, Girard MF.](#) [Related Articles, Links](#)
-  Preparation of clinical grade proteins produced by recombinant DNA technologies. *J Immunol Methods.* 1991 Oct 25;143(2):231-40. PMID: 1940392 [PubMed - indexed for MEDLINE]
-  **92:** [Caspers P, Etlinger H, Matile H, Pink JR, Stuber D, Takacs B.](#) [Related Articles, Links](#)
-  A *Plasmodium falciparum* malaria vaccine candidate which contains epitopes from the circumsporozoite protein and a blood stage antigen, 5.1. *Mol Biochem Parasitol.* 1991 Aug;47(2):143-50. PMID: 1719416 [PubMed - indexed for MEDLINE]
-  **93:** [Sharma YD, Sharma VP, Ray P, Laal S, Sawant SD, Verma S.](#) [Related Articles, Links](#)
-  Isolation and serological characterization of a *Plasmodium vivax* recombinant antigen. *Infect Immun.* 1991 Jun;59(6):1922-6. PMID: 2037353 [PubMed - indexed for MEDLINE]
-  **94:** [Kain KC, Orlandi PA, Lanar DE.](#) [Related Articles, Links](#)
-  Universal promoter for gene expression without cloning: expression-PCR. *Biotechniques.* 1991 Mar;10(3):366-74. PMID: 2064773 [PubMed - indexed for MEDLINE]

- ☐ **95:** [Barr PJ, Inselburg J, Green KM, Kansopon J, Hahm BK, Gibson HL, Lee-Ng CT, Bzik DJ, Li WB, Bathurst IC.](#) [Related Articles](#), [Links](#)
Immunogenicity of recombinant Plasmodium falciparum SERA proteins in rodents.
Mol Biochem Parasitol. 1991 Mar;45(1):159-70.
PMID: 2052035 [PubMed - indexed for MEDLINE]
- ☐ **96:** [Dziegiel M, Borre MB, Jepsen S, Hogh B, Petersen E, Vuust J.](#) [Related Articles](#), [Links](#)
Recombinant Plasmodium falciparum glutamate rich protein; purification and use in enzyme-linked immunosorbent assay.
Am J Trop Med Hyg. 1991 Mar;44(3):306-13.
PMID: 2035752 [PubMed - indexed for MEDLINE]
- ☐ **97:** [Knapp B, Hundt E, Enders B, Kupper HA.](#) [Related Articles](#), [Links](#)
A recombinant hybrid protein as antigen for an anti-blood stage malaria vaccine.
Behring Inst Mitt. 1991 Feb;(88):147-56.
PMID: 2049032 [PubMed - indexed for MEDLINE]
- ☐ **98:** [Wahlin B, Berzins K, Perlmann H, Anders RF, Perlmann P.](#) [Related Articles](#), [Links](#)
Anti-idiotypic antibodies counteract the invasion inhibition capacity of antibodies to major epitopes of the Plasmodium falciparum antigen Pf155/RESA.
Infect Immun. 1990 Sep;58(9):2815-20.
PMID: 1696930 [PubMed - indexed for MEDLINE]
- ☐ **99:** [Dobeli H, Trzeciak A, Gillessen D, Matile H, Srivastava IK, Perrin LH, Jakob PE, Certa U.](#) [Related Articles](#), [Links](#)
Expression, purification, biochemical characterization and inhibition of recombinant Plasmodium falciparum aldolase.
Mol Biochem Parasitol. 1990 Jun;41(2):259-68.
PMID: 2204832 [PubMed - indexed for MEDLINE]
- ☐ **100:** [Millet P, Collins WE, Aikawa M, Cochrane AH, Nguyen-Dinh P.](#) [Related Articles](#), [Links](#)
Use of non-human primate hepatocytes for in vitro study of the pre-erythrocytic stages of malaria parasites.
Bull World Health Organ. 1990;68 Suppl:60-5.
PMID: 2094593 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Show	20	▼	Sort	▼	Send to	Text	▼
Items 81-100 of 110						Previous Page 5 of 6 Next				

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Jul 17 2003 11:42:11

PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books
Search PubMed	for purification of recombinant malaria proteins						Go	Clear
Limits		Preview/Index		History		Clipboard		Details

Display	Summary	Show	20	Sort	Send to	Text
Items 101-110 of 110				Previous	Page	6 of 6

Entrez PubMed

☐ **101:** [Stahl S, Sjolander A, Nygren PA, Berzins K, Perlmann P, Uhlen M.](#) Related Articles, Links



A dual expression system for the generation, analysis and purification of antibodies to a repeated sequence of the Plasmodium falciparum antigen Pf155/RESA.

J Immunol Methods. 1989 Nov 13;124(1):43-52.

PMID: 2681427 [PubMed - indexed for MEDLINE]

PubMed Services

☐ **102:** [Lyon JA, Thomas AW, Hall T, Chulay JD.](#) Related Articles, Links



Specificities of antibodies that inhibit merozoite dispersal from malaria-infected erythrocytes.

Mol Biochem Parasitol. 1989 Aug;36(1):77-85.

PMID: 2509909 [PubMed - indexed for MEDLINE]

☐ **103:** [Holder AA, Freeman RR, Nicholls SC.](#) Related Articles, Links



Immunization against Plasmodium falciparum with recombinant polypeptides produced in Escherichia coli.

Parasite Immunol. 1988 Nov;10(6):607-17.

PMID: 3064031 [PubMed - indexed for MEDLINE]

Related Resources

☐ **104:** [Yoshida H, Fossati L, Yoshida M, Abdelmoula M, Herrera S, Merino J, Lambert PH, Izui S.](#) Related Articles, Links



Igh-C allotype-linked control of anti-DNA production and clonotype expression in mice infected with Plasmodium yoelii.

J Immunol. 1988 Sep 15;141(6):2125-31.

PMID: 3139752 [PubMed - indexed for MEDLINE]

☐ **105:** [Gentz R, Certa U, Takacs B, Matile H, Dobeli H, Pink R, Mackay M, Bone N, Scaife JG.](#) Related Articles, Links



Major surface antigen p190 of Plasmodium falciparum: detection of common epitopes present in a variety of plasmodia isolates.

EMBO J. 1988 Jan;7(1):225-30. Erratum in: EMBO J 1988 May;7(5):1558.

PMID: 2452082 [PubMed - indexed for MEDLINE]





☐ **106:** [Folena-Wasserman G, Inacker R, Rosenbloom J.](#) Related Articles, Links



Assay, purification and characterization of a recombinant malaria circumsporozoite fusion protein by high-performance liquid chromatography.

J Chromatogr. 1987 Dec 18;411:345-54.

PMID: 3327867 [PubMed - indexed for MEDLINE]

- ☐ **107:** [Clark IA, Hunt NH, Butcher GA, Cowden WB.](#) [Related Articles, Links](#)
 Inhibition of murine malaria (*Plasmodium chabaudi*) in vivo by recombinant interferon-gamma or tumor necrosis factor, and its enhancement by butylated hydroxyanisole.
 J Immunol. 1987 Nov 15;139(10):3493-6.
 PMID: 3119710 [PubMed - indexed for MEDLINE]
- ☐ **108:** [Barr PJ, Gibson HL, Enea V, Arnot DE, Hollingdale MR, Nussenzweig V.](#) [Related Articles, Links](#)
 Expression in yeast of a *Plasmodium vivax* antigen of potential use in a human malaria vaccine.
 J Exp Med. 1987 Apr 1;165(4):1160-71.
 PMID: 3549959 [PubMed - indexed for MEDLINE]
- ☐ **109:** [Ozaki LS, Mattei D, Jendoubi M, Druihle P, Blisnick T, Guillotte M, Puijalon O, Da Silva LP.](#) [Related Articles, Links](#)
 Plaque antibody selection: rapid immunological analysis of a large number of recombinant phage clones positive to sera raised against *Plasmodium falciparum* antigens.
 J Immunol Methods. 1986 May 22;89(2):213-9.
 PMID: 3517177 [PubMed - indexed for MEDLINE]
- ☐ **110:** [Saint RB, Beall JA, Grumont RJ, Mitchell GF, Garcia EG.](#) [Related Articles, Links](#)
 Expression of *Schistosoma japonicum* antigens in *Escherichia coli*.
 Mol Biochem Parasitol. 1986 Mar;18(3):333-42.
 PMID: 3515179 [PubMed - indexed for MEDLINE]

Display	Summary	▼	Show	20	▼	Sort	▼	Send to	Text	▼
Items 101-110 of 110								Previous	Page 6	of 6

[Write to the Help Desk](#)
[NCBI | NLM | NIH](#)
[Department of Health & Human Services](#)
[Freedom of Information Act | Disclaimer](#)

Jul 17 2003 11:42:11